PATENT ABSTRACTS OF JAPAN

(11) Publication number:

2000-189834

(43) Date of publication of application: 20.06.2000

(51)Int.OI.

CO8L 21/00 COSK 9/04 COBL 25/06 CO8L 71/12 3/08

(21)Application number: 10-348941

(71)Applicant: TOYOTA CENTRAL RES & DEV LAB INC

DENSO CORP

(22) Date of filing:

08.12.1998

(72)Inventor: KATO MAKOTO

USUKI ARIMITSU

SHIRAI JUNJI **INAI ISAMU**

WAKABAYASHI HIROYUKI

OSUGA KAZUTOYO

(54) RESIN COMPOSITE MATERIAL

(57)Abstract:

PROBLEM TO BE SOLVED: To obtain a resin composite material excellent in mechanical properties and excellent in impact resistance and moldability as well by including a specific resin, a rubber and/or thermoplastic elastomer, and organized clay dispersed in the resin.

SOLUTION: This resin composite material is obtained by including (A) a polar thermoplastic resin. (B) a rubb r and/or thermoplastic elastomer, and (C) organized clay, i.e., clay (clay mineral) organized with an organizing agent, so that the component C is dispersed in the component A; wherein the component A is pref. a polyphenylene ether-based resin, the polyphenylene ether-based resin compatibilized with a thermoplastic resin, or the like, containing pref. -32 mol% of polar groups. This composite material is in such a morphology that the component B is interspersed island-fashion in a matrix of the component A and the component C is dispersed in the component A, or the component A dispersed with the component O is interspersed island-fashion in a matrix of the component B.

LEGAL STATUS

[Date of request for examination]

[Date of sending the examiner's decision of rejection

[Kind of final disposal of application other than the xaminer's decision of rejection or application converted registration]

[Date of final disposal for application]

[Pat nt number]

[Date of registration]

[Numb r of appeal against examiner's decision of rejection] ...

[Date of requeting appeal against ex miner's d cision of rejecti n]

[Date of xtinction of right]